

Tariff	Description			
5902.10.00	TYRE CORD FABRIC, polyamide Op. 23.02.1993	Dec. 28.05.1993	- TC 9308382	
5902.20.00	TYRE CORD FABRIC, polyester Op. 23.02.1993	Dec. 28.05.1993	- TC 9308383	
5903.10.90	FABRICS, KNITTED, having BOTH of the following: (a) width NOT less than 200 cm; (b) polyester base and cotton outer Op. 29.08.2005	Dec. 11.11.2005	- TC 0510933	
5903.10.90	MESH, INSECT, being woven PVC coated polyester yarn Op. 05.04.2006	Dec. 16.08.2006	- TC 0613491	
5903.10.90	FABRICS, POLYESTER AND/OR COTTON AND POLYESTER AND/OR RAYON AND POLYESTER, coated on one side with polyvinyl chloride, having ALL of the following: (a) thickness NOT less than 0.3 mm and NOT greater than 1.8 mm; (b) width NOT less than 1 100 mm and NOT greater than 2 100 mm; (c) weight NOT less than 200 g/m2 and NOT greater than 1 800 g/m2; (d) length NOT less than 15 m Op. 17.10.2007	Dec. 05.02.2008	- TC 0801962	
5903.10.90	TAPE, MARKING, with heat activated adhesive Op. 08.01.1998	Dec. 03.04.1998	- TC 9800218	
5903.20	FABRIC, cotton, plain weave, having ALL of the following: (a) a weight of 220 g/sq m or greater but NOT exceeding 370 g/sq m; (b) coated with NOT less than 50 g/sq m dry process polyurethane; (c) a width NOT exceeding 140 cm Op. 24.04.1986	Dec. 30.01.1987	- TC 8633216	
5903.20	FABRIC, reflective, having BOTH of the following: (a) a layer of glass beads ("lenses") bonded to the fabric with adhesive; (b) an outer layer of polyurethane resin Op. 17.12.1987	Dec. 13.04.1989	- TC 8809365	
5903.20.10	FABRIC, ACRYLIC, woven staple yarn, fluorocarbon treated topside, polyurethane on underside, having ALL of the following: (a) hydrostatic pressure resistance NOT less than 700 mm; (b) weight 315 grams per square metre; (c) tensile strength 1400 N (warp) and 700 N (weft) For the purpose of this order, all measurements have a tolerance of + or - 5% Op. 30.10.2007	Dec. 19.04.2008	- TC 0718566	
5903.20.10	FABRIC, woven, 100% nylon, laminated on one side with polyurethane, having All of the following: (a) minimum weight 220 gms per square metre; (b) conforms to the requirements of AS2259/1988; (c) base fabric weight NOT exceeding 140 gms per square metre Op. 29.08.1994	Dec. 03.01.1995	- TC 9407288	
5903.20.90	FABRIC, KNITTED, width NOT less than 200 cm Op. 29.08.2005	Dec. 11.11.2005	- TC 0510934	

Item 50 applies unless otherwise stated.

Tariff	Description
5903.20.90	FABRICS, KNITTED, having ALL of the following: (a) polyester backing weight NOT less than 100 g/m2 and NOT greater than 200 g/m2; (b) polyurethane layer weight NOT less than 130 g/m2 and NOT greater than 200 g/m2; (c) width NOT less than 1 300 mm Op. 17.10.2007 Dec. 16.01.2008 - TC 0717666
5903.20.90	FABRICS, KNITTED, flame retardant, anti-microbial, anti-fungal, having ALL of the following: (a) polyamide base fabric weight NOT less than 110 gm/2 and NOT greater than 170 gm/2; (b) polyurethane layer weight NOT less than 80 gm/2 and NOT greater than 130 gm/2; (c) width NOT less than 1 200 mm and NOT greater than 1 500 mm Op. 13.12.2007 Dec. 29.02.2008 - TC 0721282
5903.20.90	FASTENING MATERIAL, hook and loop, being a knitted fabric with a tufted pile, whether or not coated with adhesive on one side Op. 23.10.1997 Dec. 06.01.1998 - TC 9610435
5903.20.90	FABRIC, nylon, width NOT greater than 50 mm, coated with hot melt polyurethane adhesive Op. 23.10.1997 Dec. 06.01.1998 - TC 9610436
5903.20.90	TAPE, MARKING, with heat activated adhesive Op. 08.01.1998 Dec. 03.04.1998 - TC 9800216
5903.20.90	WOVEN FABRIC, laminated with two OR more layers of polyurethane film, conforming to US Federal Aviation Administration (FAA) Standard TSO-C13f Op. 17.09.1998 Dec. 27.11.1998 - TC 9808364
5903.20.90	FABRIC, woven cotton base, polyurethane covered on one side Op. 29.11.2001 Dec. 01.03.2002 - TC 0110774
5903.90	FABRIC, ironing board cover, polytetrafluoroethylene coated one side, having BOTH of the following: (a) a base fabric wholly of cotton; (b) NOT less than 25% of the total fabric weight (base plus coating) comprised of BOTH polytetrafluoroethylene and acrylic resins Op. 11.08.1987 Dec. 11.08.1987 - TC 8733988
5903.90	FABRIC, rayon or rayon/cotton, laminated on one side with polyethylene film, coated on the reverse side with pressure sensitive adhesive Op. 28.06.1988 Dec. 12.08.1988 - TC 8805978
5903.90	RETROREFLECTIVE MATERIAL, having CIL values for the relevant chromaticity co-ordinates NOT less than those specified in AS1906, AS2142 or AS2259 Op. 21.05.1990 Dec. 27.03.1991 - TC 9004700
5903.90.10	FABRIC, lampshade, being rayon or cotton/polyester laminated on one side with polystyrene sheeting Op. 28.06.1994 Dec. 11.10.1994 - TC 9405370
5903.90.10	FABRIC, lampshade, being polystyrene sheeting laminated on one side with a textile material Op. 14.11.1994 Dec. 08.03.1995 - TC 9408927

Item 50 applies unless otherwise stated.

Tariff	Description			
5903.90.10	TAPE, HOOK AND LOOP, nylon or polyester, woven, pressure sensitive or not	Op. 16.09.1994	Dec. 09.08.1995	- TC 9508740
5903.90.10	TAPE, fabric base, coated on one side with plastic	Op. 11.08.2004	Dec. 29.10.2004	- TC 0408252
5903.90.90	FABRIC, lampshade, being cotton laminated on one side with polystyrene sheeting	Op. 23.10.1997	Dec. 06.01.1998	- TC 9610427
5903.90.90	FABRIC, FUSIBLE INTERLINING, of man-made fibre, warp knitted with a dot type adhesive coating of polyamide copolymer with between 20 and 170 dots/sq cm applied over the total surface of the fabric	Op. 07.08.1997	Dec. 17.10.1997	- TC 9706943
5903.90.90	INTERLINING FABRIC, fusible, woven 100% cotton construction with a dot type, net type or powder point form coating of EITHER PVC, polyamide, polyester, polyethylene OR copolymer resins	Op. 11.08.1997	Dec. 31.10.1997	- TC 9706978
5903.90.90	FABRIC, WOVEN POLYPROPYLENE, having ALL of the following: (a) flat woven, NOT greater than 1 250 mm wide; (b) slit edge OR tucked selvedge; (c) coated with polypropylene AND/OR polyethylene of NOT less than 20 microns thickness	Op. 23.01.2003	Dec. 11.04.2003	- TC 0300866
5903.90.90	FABRIC, WOVEN POLYPROPYLENE, having ALL of the following: (a) circular woven; (b) width NOT less than 1 400 mm and NOT greater than 2 100 mm laid flat; (c) coated with polypropylene AND/OR polyethylene of NOT less than 20 micron thickness; (d) weight of NOT less than 150 and NOT greater than 350 grams per square metre	Op. 23.01.2003	Dec. 11.04.2003	- TC 0300893
5906.10	TAPE, rayon, electrical insulation, coated on both sides with adhesive of blended rubber	Op. 01.11.1983	Dec. 01.11.1983	- TC 8340911
5906.10.00	TAPES, SELF ADHESIVE CLOTH	Op. 10.11.2006	Dec. 02.02.2007	- TC 0618423
5906.10.00	TAPES, FASTENING SYSTEM, hook or loop, having a cut or uncut pile	Op. 23.10.1997	Dec. 09.01.1998	- TC 9709315
5906.99	TAPE, woven textile base coated with a semi-conductive rubber compound, capable of withstanding BOTH of the following processing properties: (a) pressure exceeding 1 722.5 kPa; (b) temperatures exceeding 200 degrees C	Op. 28.11.1984	Dec. 18.02.1985	- TC 8433949

Item 50 applies unless otherwise stated.

Tariff	Description
5906.99	PLATE MOUNTING TAPE, rubber adhesive coated on BOTH sides, having ALL of the following: (a) WT of backing material g/m ² 120 + or - 10; (b) adhesion to steel N/cm greater than 3, but NOT greater than 5 (c) WT of adhesive mass g/m ² 238 + or - 18; (d) thickness of tape less liner um 390 + or - 24; (e) width of tape NOT less than 300 mm Op. 27.07.1988 Dec. 27.12.1990 - TC 9006588
5906.99.00	TAPES, FASTENING SYSTEM, hook or loop, having a cut or uncut pile, being woven fabrics of a width not greater than 30 cm Op. 23.10.1997 Dec. 09.01.1998 - TC 9709316
5906.99.00	FABRIC, MARINE LIFE RAFT, AIR HOLDING, conforming to Department of Transport Standard M5/3/14/0446 Op. 14.09.1998 Dec. 27.11.1998 - TC 9808239
5906.99.00	WOVEN FABRIC, having ALL of the following: (a) warp and weft of polyester OR polyamide OR any combination of polyester and polyamide; (b) recorcinol formaldehyde latex dipped; (c) weight NOT exceeding 3 200 gsm Op. 25.06.2002 Dec. 27.09.2002 - TC 0205463
5907.00	FABRIC, polyethylene coated one side, reverse side coated with pressure sensitive adhesive Op. 11.11.1986 Dec. 09.01.1987 - TC 8635885
5907.00	FABRIC, WOVEN COTTON, flock coated on one side AND being NOT more than 70 cm wide Op. 07.03.1990 Dec. 11.04.1991 - TC 9003019
5907.00.00	FABRIC, KNITTED, having ALL of the following: (a) weight NOT less than 160 gsm and NOT greater than 220 gsm; (b) hologram film and foil coated; (c) nylon and polyurethane spandex filament yarn Op. 29.09.2005 Dec. 16.01.2006 - TC 0513215
5907.00.00	FABRICS, WINDOW FURNISHING, having ALL of the following: (a) 100% polyester base; (b) plain, dobby or hopsack weave; (c) aluminium coating on one side; (d) weight NOT exceeding 150 gsm Op. 05.10.2007 Dec. 14.12.2007 - TC 0716883
5907.00.00	TAPE, polyethylene laminated spun rayon, coated on one side with synthetic rubber adhesive, having ALL of the following: (a) nominal thickness 0.22 mm; (b) nominal tensile strength 18 kgf/25 mm; (c) nominal adhesion to steel 1 500 gf/25 mm; Op. 22.09.1993 Dec. 21.01.1994 - TC 9310274
5907.00.00	TAPE being natural or man made fibre fabric coated with a pressure sensitive adhesive, width not exceeding 80mm. Op. 11.10.1993 Dec. 02.02.1994 - TC 9310917
5907.00.00	FABRIC, rayon, coated on both sides with rubber based pressure sensitive adhesive Op. 12.08.1994 Dec. 06.12.1994 - TC 9406812
5907.00.00	FABRIC, aluminised, woven polyester, the aluminium layer having been deposited on one side by a vacuum bonding process, having ALL of the

Item 50 applies unless otherwise stated.

Tariff

Description

Tariff	Description	Op.	Dec.	TC
	following:			
	(a) a light transmission of 14 percent or greater;			
	(b) a base fabric wholly of polyester of a weight 75 g/sq m or greater but NOT exceeding 85 g/sq m;			
	(c) on a scale of 0.00 to 1.00, a shading coefficient NOT greater than 0.45;			
	(d) an insulation factor in U value terms (W/sq m K) of between 2 and 2.3;			
	(e) no visible deterioration after 7 days of exposure when tested for resistance to salt spray in accordance with ISO Standard 7253.			
Op. 15.03.1994		Dec. 19.04.1996		- TC 9604814
5907.00.00	TAPE, vinyl coated cotton, coated on one side with adhesive, in rolls NOT less than 500 mm in width and NOT less than 300 metres in length	Op. 17.03.1998	Dec. 05.06.1998	- TC 9802297
5907.00.00	FABRIC, woven polyester, aluminium coated on one side, vacuum bonded	Op. 30.03.2000	Dec. 16.06.2000	- TC 0003466
5907.00.00	FABRIC, cotton OR polyester base cloth, flock coated on one side, consisting of an embossed flock finish of rayon pile of 0.8 to 1.0 denier (both inclusive)	Op. 02.08.2001	Dec. 28.12.2001	- TC 0106712
5907.00.00	STRAPPING TAPE, RIGID (non elastic), whether OR not in packs for retail sale	Op. 20.02.2002	Dec. 04.10.2002	- TC 0209005
5907.00.00	FABRIC, WOVEN, PVC coated, aluminium coated on one side, vacuum bonded	Op. 27.05.2003	Dec. 15.08.2003	- TC 0306343
5907.00.00	PLEATED FABRIC, woven polyester OR acrylic base, reflective colourant on one side	Op. 05.08.2004	Dec. 18.10.2004	- TC 0408046
5908.00	MANTLES, incandescent gas	Op. 01.11.1983	Dec. 01.11.1983	- TC 8340793
5908.00.00	WICKS, candle, having the characteristics detailed in the table below:			
		THE TABLE		
	plaits	threads per plait	tex per thread	total tex per wick
	3	14	24	1008
	3	16	24	1152
	3	18	24	1296
	3	20	24	1440
	3	22	24	1584
	3	24	24	1728
	3	{ 2 x 4	32	416
		{ 1 x 5		
	3	4	30	360
	3	4	25	300
	plus lead core wick, of various dimensions			
Op. 09.11.1992		Dec. 05.03.1993		- TC 9209414
5909.00.10	HOSES, FIRE FIGHTING, textile	Op. 09.10.2007	Dec. 21.12.2007	- TC 0717045

Item 50 applies unless otherwise stated.

Tariff	Description			
5910.00.00	TAPES, CONVEYOR BELT, CIGARETTE MANUFACTURING, being ANY of the following: (a) garniture tapes; (b) suction tapes; (c) filter tapes	Op. 13.08.2007	Dec. 19.10.2007	- TC 0712902
5910.00.00	BELTS, ELASTIC, CONVEYOR, manufactured from ALL of the following fibres: (a) polyurethane; (b) polyamide; (c) spandex	Op. 23.10.1997	Dec. 06.01.1998	- TC 9610443
5910.00.00	BANDS, interlock woven felt	Op. 01.12.1997	Dec. 27.02.1998	- TC 9710593
5910.00.00	GARNITURE TAPE, CIGARETTE MANUFACTURING MACHINE, woven, having BOTH of the following: (a) joined or having fastenings for joining the ends; (b) width NOT exceeding 50 mm	Op. 15.06.1998	Dec. 11.09.1998	- TC 9805128
5910.00.00	CONVEYOR BELTS, ROTARY BISCUIT MOULDERS, woven, having ALL of the following: (a) endless (seamless); (b) one ply; (c) 100% cotton warp yarn and 100% flax weft yarn, but NOT including those with a PVC inner layer; (d) impregnated one side with polyurethane OR polyvinyl chloride; (e) woven selvages; (f) width within the range of 500 mm to 1 300 mm; (g) endless length within the range of 1 900 mm to 7 000 mm; (h) thickness within the range of 1.8 mm to 2.4 mm	Op. 26.07.1999	Dec. 08.10.1999	- TC 9905527
5910.00.00	BELTING OR TAPES, CARRIER, anti-static, woven polyester, maximum thickness 2.1 mm	Op. 01.03.2001	Dec. 11.05.2001	- TC 0102020
5911.10.00	FABRICS, FILTER, non woven polyester, having a laminated aluminium coating	Op. 19.07.2007	Dec. 12.10.2007	- TC 0711672
5911.10.00	BLANKETS, printers", in the length but NOT cut to size, and NOT including engravers" or stereo blankets	Op. 26.11.1996	Dec. 21.01.1997	- TC 9612919
5911.20	BOLTING CLOTH, monofilament, of silk or man-made fibres, geometrically accurate as to mesh and micron size	Op. 25.11.1987	Dec. 02.05.1988	- TC 8735519
5911.20	BOLTING CLOTH, man-made fibre, multifilament, being ANY of the following: (a) 196 x 196 meshes/inch; (b) 128 x 124 meshes/inch; (c) 110 x 106 meshes/inch; (d) 78 x 83 meshes/inch; (e) 70 x 70 meshes/inch	Op. 19.04.1991	Dec. 23.10.1991	- TC 9103875

Item 50 applies unless otherwise stated.

Tariff	Description
5911.31.00	BASE FABRIC, WET OR PRESSED FELT, papermaking, un-neededled Op. 24.10.2002 Dec. 21.01.2003 - TC 0210008
5911.32	BELTS, felt, thickness 15 mm or greater Op. 01.01.1988 Dec. 01.01.1988 - TC 8733041
5911.32.00	BASE FABRIC, WET OR PRESSED FELT, papermaking, un-neededled Op. 24.10.2002 Dec. 21.01.2003 - TC 0210009
5911.90	PADS, polishing, ophthalmic lens Op. 01.11.1983 Dec. 01.11.1983 - TC 8341002
5911.90	CLEANERS, discette head, lint free Op. 01.11.1983 Dec. 01.11.1983 - TC 8341010
5911.90	GASKETS, man-made fibre, tubular felt Op. 04.03.1985 Dec. 04.03.1985 - TC 8530727
5911.90	NETS - PRINTING CYLINDER Op. 16.12.1991 Dec. 19.03.1992 - TC 9200365
5911.90.10	BONNETS OR PADS, CARPET SCRUBBING, circular, pile fabric Op. 23.12.2005 Dec. 17.03.2006 - TC 0515294
5911.90.10	FABRIC, BELTING, man made, having ALL of the following: (a) stainless steel seams; (b) weight NOT less than 650 grams per square metre; (c) thickness NOT less than 0.85 mm Op. 07.06.2007 Dec. 17.08.2007 - TC 0708725
5911.90.10	PARTS, FILTER PRESS, being woven textile articles having ALL of the following: (a) hook and loop taped edges; (b) circular holes with attached rubber gaskets; (c) locating holes Op. 23.11.2007 Dec. 08.02.2008 - TC 0719915
5911.90.10	BELTING, MAN-MADE FABRIC, having ALL of the following: (a) weight NOT less than 650 g/m ² ; (b) thickness NOT less than 0.85 mm Op. 05.12.2007 Dec. 29.02.2008 - TC 0720879
5911.90.10	SLEEVES OF FELT, endless for conveyor rollers being belts or bands Op. 11.06.1993 Dec. 17.09.1993 - TC 9304455
5911.90.10	FELT PIECES, pressed, not of needle felt, with density over 0.04 g/cu cm, and containing not less than 85% wool fibre being any of the following shapes: (a) cones; (b) discs; (c) bobs; (d) fingers Op. 11.06.1993 Dec. 08.10.1993 - TC 9304461
5911.90.10	FASTENERS, hook and loop, cut to a circular or rectangular shape, being a knitted fabric with a tufted pile, whether or not coated with adhesive on one side Op. 02.09.1994 Dec. 13.12.1994 - TC 9407351
5911.90.10	COVERS, DAMPENNER ROLLER, water absorbing Op. 24.11.1997 Dec. 06.02.1998 - TC 9710313

Item 50 applies unless otherwise stated.

Tariff	Description			
5911.90.10	TEXTILE SLEEVES, NOT heat set, manufactured from polymer monofilament	Op. 22.04.1998	Dec. 10.07.1998	- TC 9803362
5911.90.10	BAGS, LEAD ACID BATTERY TUBULAR PLATE, multiple tube, impregnated with resin	Op. 02.09.1998	Dec. 17.11.1998	- TC 9807844
5911.90.10	FILTER BAGS, MULTI-CHANNEL, comprising ALL of the following: (a) top cuff polyester woven fabric weighing NOT less than 400 g/m ² ; (b) pocket body polyester needlefelt weighing NOT less than 440 g/m ² ; (c) re-enforced part on bottom polyester needlefelt weighing NOT less than 650 g/m ²	Op. 15.04.2003	Dec. 11.07.2003	- TC 0304370
5911.90.10	DUSTBAGS, VACUUM CLEANER, disposable, incorporating a microfibre filter	Op. 17.09.2004	Dec. 10.12.2004	- TC 0409476
5911.90.90	MATS, FILTER, SPRAY PAINTING BOOTH	Op. 02.08.2006	Dec. 20.10.2006	- TC 0612969
5911.90.90	CLOTH, DECATISING WRAPPER	Op. 02.11.1998	Dec. 15.01.1999	- TC 9809719
5911.90.90	PAPER DRYER FABRIC, synthetic, unfinished, having ALL of the following: (a) warp density NOT less than 110 yarn/dm but NOT exceeding 350 yarn/dm; (b) pick count of NOT less than 40 yarn/50 mm but NOT exceeding 120 yarn/50 mm; (c) monofilament having a cross section diameter of NOT less than 0.40 mm but NOT exceeding 1.00 mm	Op. 15.11.1997	Dec. 12.06.2002	- TC 0204922
5911.90.90	CANVAS, SANDING, graphite coated	Op. 29.07.2004	Dec. 11.10.2004	- TC 0407811

Item 50 applies unless otherwise stated.